


Unison UK-C1
 Unison UK-Phenyl Cadenza CX-C18
 Unison UK-C8 Cadenza CW-C18
 Unison UK-C18 Cadenza CD-C18

100 x 4.6 mm


HPLC COLUMN APPLICATION

4,4'-Bis (2,2-diphenylvinyl) biphenyl (Organic light-emitting diode material)

4,4'-ビス (2,2-ジフェニルビニル) ビフェニル (有機エレクトロルミネッセンス材料)



4,4'-bis(2,2-diphenylvinyl)biphenyl



100 x 4.6 mm

A: water / acetonitrile / acetic acid = 50 / 50 / 0.1

B: water / acetonitrile / acetic acid = 10 / 90 / 0.1

0-100%B (0-10min), 100%B (10-30min)

1.0mL/min (8MPa), 37°C, 350nm

10µL (33µg/mL, THF / acetic acid = 100 / 1)